

# PHYTOCHEMICAL PROPERTIES AND MINERAL COMPOSITION OF *BUCHHOLZIA CORIACEA* (WONDERFUL COLA) SEEDS

\*INYANDA, .D. O,<sup>2</sup> Audu, I . S, <sup>3</sup>Agbeyo. O.A <sup>4</sup>Abdulmutalib M. A and Jibrin M<sup>5</sup>

<sup>1 3 4</sup>Department of Chemistry/ Biochemistry Federal Polytecnic Nasarawa. Nasarawa State

<sup>2</sup> National Biosafety Management Agency Abuja

<sup>5</sup>Department of Biology and Microbiology, Federal Polytechnic Nasarawa

\*Corresponding authors 08032916773 e-mail address: debrainyanda@gmail.com

## ABSTRACT

Wonderful cola seed is a tropical plant and a family member of Capparidaceae. This research concept was aimed at examining the seeds of Buchholzia coriacea for phytochemical and mineral composition. Cold maceration method of extraction using ethanol and hexane solvent was used to obtain the active crude extract of the seeds.

Photochemistry results indicate that both ethanol and hexane possess steroids, flavonoids, tannins, carbohydrates, saponin and phenol. With alkaloids and legal test only present in ethanol and cardiac glycoside and alkaline reagent only present in hexane extract. Mineral content ANALYSIS was conducted FOR Buchholzia coriacea seeds using Atomic Absorption Spectroscopy to detect iron, lead, calcium, phosphorus, sodium, zinc, magnesium, potassium and copper in their elemental state. The results indicate that wonderful cola seeds WERE rich in essential minerals like IRON (1.22mg/kg), calcium(22.43mg/kg), potassium(47.53mg/kg), magnesium(22.54mg/kg) and zinc (21.12mg/kg). Buchholzia coriacea seeds also possess other minerals such as Phosphate (2.54mg/kg), Copper (2.12mg/kg) and Sodium (14.12mg/kg). Looking at other results obtained from other research conducted on Buchholzia coriacea seeds, the mineral content varies depending on plant location.

Keywords Phytochemistry, Buchholzia coriacea seeds, Minerals, Atomic Absorption Spectroscopy and essentials.

## INTRODUCTION

The plant called Wonderful kola is a medicinal plant grown all over the world just as garlic, and moringa amongst others. These plants are used as alternative medications to promote health for people in Africa and the whole world at large for decades. This medicinal plant is used as an alternative form of treatment or healing which is well documented and practiced Adisa *et al.* (2011), Adjanohoun *et al.* (1996).

*Buchholzia coriacea* plant has been reported to possess phytonutrients such as (protein, fiber, fat/oil, carbohydrate, minerals and vitamins) and phytochemicals, responsible for good nutritional and the general human health and well-being Aremu *et al.* (2005).

*Buchholzia coriacea*, originated from the Cappariaceae family, and was named after a botanist called RW Buchholz, who grew plants in the late 1800 in the city of Cameroon. The plant is a small to medium-sized evergreen tree and grows to about 20 m tall it is found in Nigeria, Cameroon, the Central African Republic, Angola, Ghana etc. among other places. The plant bark is smooth, dark green or blackish-brown in color. It has a thick crown, big glossy leathery leaves grouped spirally and clustered at the branch tips, and prominent cream-white flowers in racemes at the branch ends Adisa *et al.* (2011), the part of the plant's consumed mostly are the seeds, which are either cooked or eaten raw Ezekiel *et al.* (2009).

This research is aimed at identifying the phytochemical constituents and mineral components of wonderful kola seeds and pulp

Indeed, the nutritional and photochemical evaluation of *B. coriacea* seeds showed that it contained minerals and a significant class of phytochemical compounds such as alkaloids, glycosides, saponin, steroids, tannin, flavonoids, terpenes and phenols Ajaiyeoba *et al.* (2001), AOAC. (2009).

## MATERIALS AND METHODS

### Sample Collection

Seeds of *Buchholzia coriacea* were obtained from the sabogari market in Kaduna state. It was then transported to National Institute For Pharmaceutical research and Development (NIPRID) in Idu FCT. Where it was identified by Dr Grace Ugbabe and was issued a specimen Voucher number: NIPRID/H/7297

### Sample Treatment

The sample was washed in the raw material laboratory severally with clean water and then rinsed with deionized water. The seed was then removed from the pulp using a hammer. The separated seed was shade dried on a sack for six weeks. The dried samples were then grinded into fine powder using a mortar and pestle. The powder obtained was placed in an airtight container and stored on the shelf in the laboratory for further analysis.

### Extraction

Crude extracts were obtained by cold maceration method Aremu *et al.* (2005). 250g of sample was weighed into a 1000ml conical flask. 750ml of each solvent (ethanol and hexane) was added separately into the already weighed powder. Uniform mixtures

were achieved by agitating at interval of 3 hours within the 72 hours of extraction. The extracts obtained were concentrated using a rotatory evaporator and then placed into well labeled sterile sample containers for future use

**Phytochemical Analysis**

The phytochemical analysis of *Buchholza coriacea* seed extracts was conducted. Using Standard methods from the Association of Official Analytical Chemistry AOAC. (2009), phytochemical parameters such as phenol, steroids, saponins, alkaloids, tannins, flavonoids, phlobatannins cardiac glycoside and alkaline reagents

**Mineral Analysis**

MINERAL content such as (calcium, phosphorous, calcium, magnesium, zinc, iron, and potassium was accessed using Atomic Absorption spectroscopic method .of analysis. This was achieved by ashing and dissolving the samples in 10% Hydrochloric acid. Prescribed by AOAC. (2009).

**Result and Discussion**

**Results**

Reviewed that both the ethanol and hexane crude extracts of wonderful cola seeds possessed constituents like steriods, saponins,, phenol, flavonoids, tannins, legal test, carbohydrates and alkaline reagents. Concurring with results obtained by Mbata *et al.* (2009).

**Table 1: Phytochemical Screening results of crude extracts of Wonderful cola seed.**

| Phytochemicals    | Hexane Extracts | Ethanol Extracts |
|-------------------|-----------------|------------------|
| Steroids          | +               | +                |
| Alkaloids         | -               | +                |
| Flavonoids        | +               | +                |
| Tannins           | +               | +                |
| Saponin           | +               | +                |
| Cardiac glycoside | +               | -                |
| Alkaline reagents | +               | -                |
| carbohydrates     | +               | +                |
| Legal test        | -               | +                |
| Reducing Sugar    | +               | +                |

phenol + +

**KEYS DETECTED (+) NOT DETECTED (-)**

Results of Mineral analysis of the powder seeds of wonderful cola were obtained by atomic absorption spectrometry.

**Table 2: Mineral analysis of *Buchholza coriacea* seed**

| Parameters | mg/kg      |
|------------|------------|
| Iron       | 1.225      |
| Lead       | 0.046356   |
| Calcium    | 22.43124   |
| Phosphorus | 2.54764    |
| Sodium     | 14.12135   |
| Zinc       | 25.1213215 |
| Magnesium  | 22.54      |
| potassium  | 47.53124   |
| Copper     | 2.1240     |

**DISCUSSIONS**

Phytochemical results revealed that both hexane and ethanol crude extract of *Bucholzia coriacea* seed possessed phytochemical constituents such as Steroids, Flavonoids, Tanins, Saponins, Carbohydrates and Reducing Sugar. While only hexane extract showed Alkaline reagents and cardiac

glycoside reducing compounds. Ethanol extracts reviewed Alkaloid presence and this is supported by report from F. S. Oluwole *et al.* (2023) the presence of alkaloid in the Ethanol crude extract confirms that plant elements have some therapeutic effect which can be used as painkillers for medicinal purposes Ibrahim *et al.* (2012) phenolic compounds was found

in both extracts and this confirms its use in disinfection and a standard with which other bacterial are compared. This observation supports Olukoya *et al.* (2022).

Mineral composition of seeds of wonderful cola is shown in table 2 above. Minerals results for Na, K, Mg, Fe, Ca, Zn, Cu and Pb were obtained. Potassium concentration was higher than all others and this supported the results reported by Aremu *et al.* (2005). Who confirmed that potassium is the most dominant mineral present in Nigeria Agricultural plants material. Sodium with value 14.12135mg/kg was within the recommended range and this indicates that seeds of wonderful cola can support formation of bone in children and help reduce high blood pressure in man FND Food. (2002), value obtained for Calcium, phosphorus and magnesium were within permissible limit and as such their presence in the seed makes it support teeth, bone maintenance in adult and bone formation in children. This result is supported by report from Akinhanmi *et al.* (2008)

The seeds have low iron level (1.225 mg/kg).and This confirms that the seed cannot be used as an alternative for blood forming agent as it fell below RDA values Bogert *et al.* (1994)

## CONCLUSION

The presence of phytochemicals and minerals constituents in the ethanol and hexane crude extract of *Buchholzia coriacea* seed in this finding has confirmed its effectiveness in the treatment of illness it is supported by F. S. Oluwole *et al.* (2023)

## REFERENCES

1. <sup>2</sup>Adisa RA, Choudharyb MI, Olorunsogo OO. Hypoglycemic activity of *Buchholzia coriacea* (Capparaceae) seeds in streptozotocin-induced diabetic rats and mice. Elsevier GmbH, Exp Toxicol Pathol. 2011;63(7-8):619-625.
2. Adjanohoun JE, Aboubakar N, Dramane K, Ebot ME, Ekpere JA, Enoworock EG et al. Organization of African Unity; Scientific, Technical and Research Commission, editor. Contribution to ethno botanical and floristic studies in Cameroon. Trad Med Pharmacopoeia 1996.
3. Ajaiyeoba EO, Onocha PA, Olanrewaju OT. In vitro anti-helminthic properties of *Buchholzia coriacea* and *Gynandropsis gynandra*. Pharm Biol. 2001;39(3):217-20
4. Akinhanmi T.F., Akintokun P.O., Atas N.V. Chemical Composition and physiochemical properties of cashew nuts (*Anacardium occidentale*) oil and cashew nuts shell liquid. *Journal of Agric; Food and Environmental Science* 2008; 2: 1-10.
5. A.O.A.C.(2009). Official Methods of Analysis, 15th edition. Association of Official Analytical Chemists
6. Aremu MO, Olonisakin A, Otene JW and Atolaye BO. Mineral content of some agricultural products grown in the middle belt of Nigeria. *Oriental J Chem.* 2005;21:419-426.

7. Bogert JL, Briggs GM, and Galloway D. H.. Nutrition and Physical fitness. *Int J Food Sci Nutr.* 1994;45:223 -230
8. Ezekiel OO, Onyeoziri NF. Preliminary studies on the antimicrobial properties of *Buccholziacoriacea*. *Afr J Biotechnol.* 2009;8(3):472-474.
9. FND. Food and Nutrition Board, Institute of Medicine. National Academy of Science. Dietary Reference intake for energy, carbohydrate, fibre, fat, fatty acids, cholesterol, protein and amino acid, 2002
10. F. S. Oluwole, S. O. Jaji, 1A. A. Ejire, T. S. Aiyelero, O. O Eleyowo G. A Olagbaye D. A. Adeyemi PHYTOCHEMICAL, MINERAL, PROXIMATE ANALYSIS AND COMPARATIVE STUDY OF FTIR AND GCMS OF DIFFERENT EXTRACTS (ETHANOL, ETHYL ACETATE AND HEXANE) OF WONDERFUL KOLA SEED (*Buchholzia coriacea*) *J. Chem. Soc. Nigeria*, Vol. 48, No. 3, pp 420 - 430 [2023]
11. Ibrahim TA, Fagbohun ED. Phytochemical and Nutritive Quality of Dried Seeds of *Buchholzia Coriacea*. *Greener Journal of Physical Sciences.* 2012; 2: 185-191.
12. . Ibrahim T.A. and Fagbohun E.D., (2012), Phytochemical and Nutritive Qualities of Dried Seeds of *Buchholzia Coriacea*, *Greener Journal of Physical Sciences*, 2(5): 185-191
13. Mbata TI, Duru CM, Onwumelu HA. Antibacterial activity of crude seed extract of *Buccholzia Coriacea* E. on some pathogenic bacteria. *J Dev Biol Tissue Eng.* 2009;1(1):1-5.
14. Olukoya DK., Idiaka, N and Odugbemi A. (2022) Antibacterial activities of some medicinal plants in Nigeria *Journal of ethnopharmacology* 39 (1), 69-72.